490 Hargrave Street Winnipeg, Manitoba R3A OX7 CANADA

www wrha mb ca

490, rue Hargrave Winnipeg (Manitoba) R3A 0X7 CANADA

www wrha mb ca

November 28, 2020

Daniel McIntyre Collegiate 720 Alverstone St. Winnipeg, MB R3E 2H1

Dear Parent/Guardian of students at Daniel McIntyre Collegiate,

Manitoba public health officials advised Daniel McIntyre Collegiate of a confirmed case of COVID-19 in the school when the individual may have been infectious on November 24, 2020.

Daniel McIntyre Collegiate is working closely with public health officials and following their recommendations. Based on the public health investigation, the exposure was assessed to be low risk overall for the school community. The infection was most likely acquired outside of school.

At this time, no close contacts have been identified at Daniel McIntyre Collegiate. No one is required to self-isolate from this exposure. Anyone who is in Cohort B or C in Room 47 on November 24th is recommended to self-monitor for symptoms until December 8 and seek testing if symptoms develop.

Please note: the school is not permitted to release the name or any identifying information about the confirmed cases of COVID-19 to any member of the school, community or media.

If your child develops a new onset or worsening of any one symptom listed in Column A or any two or more symptoms listed in Column B (see table below), even if they are mild, immediately isolate them from others. It is recommended your child get tested for COVID-19 as soon as symptoms appear. You may go directly to the nearest COVID-19 testing location during their open hours. For the testing site nearest you, please visit https://www.gov.mb.ca/covid19/updates/testing.html, or call Health Links—Info Santé at 204-788-8200 or toll-free at 1-888-315-9257.

Α	В
Fever/Chills	Runny nose
Cough	Muscle aches
Sore throat/hoarse voice	Fatigue
Shortness of breath/difficulty breathing	Pink eye (conjunctivitis)
Loss of taste or smell	Headache
Vomiting or diarrhea for more than 24 hours	Skin rash of unknown cause
	Nausea or loss of appetite
	Poor feeding (if an infant)

Please note: individuals with symptoms outlined in columns A and B, who choose not to be tested, must isolate for a minimum of 10 days following the start of symptoms. Isolation can be stopped at day 10 if the individual has been symptom free for 24 hours.

For more public health information about COVID-19, please visit https://manitoba.ca/covid19/updates/resources.html.

Sincerely,

Dr. Jordyn Lerner Medical Officer

Manitoba Health, Seniors and Active Living