

PLANS

OF PROPOSED

P.P.C.C. BRIDGE OVER

ON

LENGTH 24 368 OUT TO OUT OF ABUTMENT PRECAST BACKWALL PANELS

SUPERSTRUCTURE TWO SIMPLY SUPPORTED SPANS OF PRECAST PRESTRESSED CONCRETE CHANNEL GIRDERS WITH ASPHALT OVERLAY

SUBSTRUCTURE TWO PRECAST CONCRETE ABUTMENTS AND ONE INTERMEDIATE BENT WITH STEEL H-FILES

ROADWAY WIDTH 8 400 OUT TO OUT OF GIRDERS

LOCATION IN R.M. OF

SHEET LEGEND

1. COVER SHEET
2. GENERAL ELEVATION
3. BORING LOGS
4. SITE AND EROSION CONTROL DETAILS
5. ASSEMBLY DETAILS
6. ASSEMBLY DETAILS
7. STEEL PILE CAP DETAILS
8. STEEL PILE CAP DETAILS
9. BEARING AND ERECTION DETAILS
10. RAILING LAYOUT AND DETAILS
11. RAILING DETAILS
12. RAILPOST DETAILS

- P1. PRECAST PANEL DETAILS
- P2. PRECAST PANEL DETAILS

- G1. PRECAST PRESTRESSED CHANNEL GIRDER DETAILS
- G2. PRECAST PRESTRESSED CHANNEL GIRDER DETAILS
- G3. PRECAST PRESTRESSED CHANNEL GIRDER DETAILS
- G4. PRECAST PRESTRESSED CHANNEL GIRDER DETAILS
- G5. PRECAST PRESTRESSED CHANNEL GIRDER DETAILS

DESIGN DATA

SPECIFICATIONS

AASHTO LRFD Bridge Design Specifications, First Edition, 1994 plus 1996/97 Interims

VEHICULAR LIVE LOADING

1. Modified AASHTO HSS-25 Truck
2. AASHTO LRFD "HL-93" Loading

STRUCTURAL CONCRETE

CSA A23.1, Exposure Class C-1 Air content category 1

1. PRECAST PRESTRESSED CONCRETE CHANNEL GIRDERS - $f_c = 45 \text{ MPa}$ at 28 days
 $f_{ci} = 35 \text{ MPa}$ at time of de-stressing
2. PRECAST PANELS - $f_c = 35 \text{ MPa}$

REINFORCING STEEL

1. PRECAST PRESTRESSED CONCRETE CHANNEL GIRDERS - CAN/CSA-G30.18-M92 Grade 400W black (i.e. no epoxy coating)
2. PRECAST PANELS - CAN/CSA-G30.18-M92 Grade 400W black (i.e. no epoxy coating)

STRUCTURAL STEEL

1. All Structural Steel shall conform to CAN/CSA G40.21-M92 Grade 300W
2. HSS Tubing for Bridge Rail shall conform to CAN/CSA-G40.21-M92 Grade 350W

PRESTRESSING STRAND

20-13 # low relaxation strands, $f_{pu} = 1860 \text{ MPa}$

PILE LOADING

	END PILE BENTS	INTERMEDIATE PILE BENTS
MAXIMUM FACTORED LOAD	582 kN	531 kN
FACTORED BEARING RESISTANCE		

HYDRAULIC DESIGN DATA

DESIGN DISCHARGE

$Q = \text{-----} \text{ m}^3/\text{sec}$

SURVEY CONTROL

HORIZONTAL DATUM: NAD83CSRS

VERTICAL DATUM: CGVD28

ELLIPSOID: GRS 1980

GEOID (HT2.0): -----

UTM: ZONE -----

SCALE FACTOR: -----

SITE CONTROL POINT DATA

CONTROL POINT #-----	NORTHING: -----	EASTING: -----	ELEVATION: -----	DATE: -----
CONTROL POINT #-----	NORTHING: -----	EASTING: -----	ELEVATION: -----	DATE: -----
CONTROL POINT #-----	NORTHING: -----	EASTING: -----	ELEVATION: -----	DATE: -----



TP. - PLACE LOCATION
MAP HERE

RGE. -
LOCATION MAP
Not to Scale

MANITOBA INFRASTRUCTURE

WATER MANAGEMENT AND STRUCTURES

RELEASED FOR CONSTRUCTION BY :
EXECUTIVE DIRECTOR OF STRUCTURES
DATE -----

ENVIRONMENTAL APPROVALS

MANITOBA ENVIRONMENT ACT LICENCE
DATE : _____
FILE # : _____


FISHERIES AND OCEANS CANADA - AUTHORIZATION OR REVIEW
DATE : _____
FILE # : _____

TRANSPORT CANADA - NAVIGATION ACT
DATE : _____
FILE # : _____



MANITOBA INFRASTRUCTURE ENVIRONMENTAL APPROVAL
DATE : _____
FILE # : _____

ENVIRONMENTAL REVIEW COMPLETED
DATE : _____
COMPLETED BY : _____


ALL DIMENSIONS ARE IN MILLIMETRES (mm) AND ALL ELEVATIONS AND STATIONS ARE IN METRES (m) UNLESS SHOWN OTHERWISE.



PLAN



EDGE TREATMENT



OVERLAPPING DETAILS

RIP RAP DETAILS

Not To Scale

- NOTES:
- All geotextile shall be Non-Woven Geotextile, Class 1 (Heavy Duty) from the Manitoba Infrastructure's Approved Product List.
 - Geotextile shall be placed under all rip rap, overlapping 600mm in direction of flow.


NOTE:
Existing pile bents to be removed by Bridge Contractor.

UTILITY DISCLAIMER:
LOCATIONS OF UTILITIES AS SHOWN ARE BASED ON READILY AVAILABLE INFORMATION. NO GUARANTEE IS GIVEN THAT ALL UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONTRACTOR SHALL CONFIRM THE EXISTENCE AND LOCATION OF UTILITIES BY OBTAINING FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

REVISIONS		SITE AND EROSION CONTROL DETAILS	
DATE	DESCRIPTION		
		RELEASED FOR CONSTRUCTION BY: _____ DATE: _____	
		EXECUTIVE DIRECTOR OF STRUCTURES	
		SCALE: 1:200	
		SHEET No. 4	
		or as shown	
		SITE No. _____	

DESIGN BY: _____
 CHECKED: _____
 DETAILS BY: K.P.
 CHECKED: _____

PLACE ENGINEERS
ELECTRONIC SEAL
HERE



SU.1 SU.2 SU.3

END SPAN


RAILS				SLEEVES		RAILPOSTS	
T1	T2	B1	B4	ST2	SB2	GP1	GP2
2	2	2	2	2	2	12	2

RAILS		SLEEVES	
T3	B5	ST1	SB1
2	2	2	2



END SPAN

RAILS				SLEEVES		RAILPOSTS	
T1	T2	B1	B4	ST2	SB2	GP1	GP2
2	2	2	2	2	2	12	2


RAILING LAYOUT
Not to Scale



SECTION A-A




ELEVATION C-C
Showing edge screed installation detail




DETAIL 'A'
Showing edge screed installation detail
Scale 1:5

- NOTES:**
- All railposts shall be Mk. "GP1" unless noted otherwise.
 - This sheet to be read in conjunction with Sheets & .



APPROACH RAIL CONNECTION DETAILS



TYPICAL OF CONTINUOUS RAILS

RAIL END CONNECTION


TYPICAL AT PILE BENT

RAILING ERECTION DETAILS
Scale 1:5


RAILPOST ERECTION DETAILS

- NOTES:**
- High strength bolts Mk. "R27" & "R28" shall be tightened by turn-of-nut method as per Specification 1061. These bolts to be supplied by the Girder Fabricator. For quantities see Bill of Miscellaneous Metal on Girder sheet.
 - High strength bolted connection may be shimmed to a maximum of 12 mm with shims Mk. "RS3" & "RS4".


REVISIONS		RAILING LAYOUT AND DETAILS	
DATE	BY		
		<p>Infrastructure Water Management and Structures</p>	RELEASED FOR CONSTRUCTION BY:
			EXECUTIVE DIRECTOR OF STRUCTURES
		DESIGN	SCALE: 1:10
		DETAILS	SHEET No. _____
			or as shown
			SITE No. _____




ELEVATION
GIRDER STRAND LAYOUT



END VIEW
Typical layout of 20 - 13 #
Low Relaxation straight strands



PART PLAN
Typical at both ends of girders



SECTION E-E
Scale 1:5

BEARING RECESS DETAILS

REVISIONS		PRECAST PRESTRESSED CHANNEL GIRDER DETAILS	
DATE	BY	DESCRIPTION	RELEASED FOR CONSTRUCTION BY:
			EXECUTIVE DIRECTOR OF STRUCTURES DATE
			SCALE: 1:20 SHEET No. G2
			or as shown SITE No.

PLACE ENGINEERS ELECTRONIC SEAL HERE	DESIGN	BY: B.A.N.	
	CHECKED:		
	DETAILS	BY: K.P.	
	CHECKED:		

